



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

April 10, 2012

**SNR DENTON US LLP (CITI CUSTOMER NUMBER)**  
**ATTN: Eric Sophir**  
**P.O. BOX 061080**  
**CHICAGO IL 60606-1080**

Patent No. : 8,041,632 B1  
Inventor(s) : Ronald Coleman  
Issued : October 18, 2011  
For **METHOD AND SYSTEM FOR USING  
A BAYESIAN BELIEF NETWORK TO ENSURE  
DATA INTEGRITY**  
Doc. No.: **CITI0192-US**

To Whom It May Concern:

The Certificate of Correction issued on April 10, 2012, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The column and line number identifying location of error in patent was not printed in the issued cofc. The correction displays "Column 21, Claim 4, line 1", listing column number, claim number and line number. The correction should be shown as --Column 21, line 15 (Claim 4, line 1)--. A new certificate of correction will be issued listing the Column and line number location where error appears in the printed patent.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(571)272-0483  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 756-1580